(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 14 October 2004 (14.10.2004)

PCT

(10) International Publication Number WO 2004/087681 A1

- (51) International Patent Classification⁷: C07D 257/04, A61K 31/41
- (21) International Application Number:

PCT/IN2003/000096

- (22) International Filing Date: 31 March 2003 (31.03.2003)
- (25) Filing Language:

English

(26) Publication Language:

English

- (71) Applicant (for all designated States except US): HETERO DRUGS LIMITED [IN/IN]; Hetero House, 8-3-166/7/1, Erragadda, Hyderabad 500 018, Andhrapradesh (IN).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only):
 PARTHASARADHI, Reddy, Bandi [IN/IN]; Hetero House, 8-3-166/7/1, Erragadda, Hyderabad 500 018, Andhrapradesh (IN). RATHNAKAR, Reddy, Kura [IN/IN]; Hetero Drugs Limited (R & D), Plot No. B-80 & 81, A.P.I.E., Balanagar, Hyderabad 500 018, Andhrapradesh (IN). RAJI, Reddy, Rapolu [IN/IN]; Hetero Drugs Limited (R & D), Plot No. B-80 & 81, A.P.I.E., Balanagar, Hyderabad 500 018, Andhrapradesh (IN). MURALIDHARA, Reddy, Dasari [IN/IN]; Hetero Drugs Limited (R & D), Plot No. B-80 & 81, A.P.I.E., Balanagar, Hyderabad 500 018, Andhrapradesh (IN).

- (74) Agent: RATHNAKAR, Reddy, Kura; Hetero Drugs Limited (R & D), Plot No. B-80 & 81, A.P.I.E., Balanagar, Hyderabad 500 018, Andhrapradesh (IN).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for all designations
- of inventorship (Rule 4.17(iv)) for US only

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: A NOVEL AMORPHOUS FORM OF VALSARTAN

A NOVEL AMORPHOUS FORM OF VALSARTAN

FIELD OF THE INVENTION

The present invention relates to a novel amorphous form of valsartan, to a process for its preparation and to a pharmaceutical composition containing it.

BACKGROUND OF THE INVENTION

10 Valsartan of formula (1):

15

20

or N-(1-Oxopentyl)-N-[[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-yl]methyl]-L-valine, is an antihypertensive agent and its therapeutic uses are disclosed in US 5,399,578. No polymorphs of valsartan is reported in the literature.

We discovered a sufficiently stable amorphous form of valsartan, which is found to be suitable for pharmaceutical composition.

The object of the present invention is to provide a novel stable amorphous form of valsartan, process the preparing it and a pharmaceutical composition containing it.

DETAILED DESCRIPTION OF THE INVENTION

The present invention provides a novel amorphous form of valsartan (hereinafter referred to as amorphous valsartan). The amorphous valsartan is characterized by having broad x-ray diffraction spectrum as in figure 1.

WO 2004/087681 PCT/IN2003/000096

A further aspect of the present invention provides a process for the preparation of amorphous valsartan. Amorphous valsartan is prepared by dissolving valsartan in an alcohol or a mixture of alcohols. The alcohol is selected from the group consisting of methanol, ethanol, isopropyl alcohol, tert-butyl alcohol and n-butyl alcohol. The solvent may be removed from the solution by vacuum drying or spray drying.

A further aspect of the present invention provides a pharmaceutical composition comprising amorphous valsartan and a pharmaceutically acceptable carrier.

10

15

5

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a x-ray powder diffraction spectrum of amorphous valsartan. x-Ray powder diffraction spectrum was measured on a Siemens D5000 x-ray powder diffractometer having a copper-Kα radiation.

The following examples further illustrate the invention.

Example 1

20

Valsartan (10 gm), (obtained by the process described in example-16 of US 5,399,578) is dissolved in methanol (50 ml). The solution is subjected to vacuum drying at about 40°C for 10 hours to give 9.8 gm of amorphous valsartan.

25

Example 2

Example 1 is repeated by subjecting the solution to spray drying instead of vacuum drying to give amorphous valsartan.

Example 3

30

Valsartan (10 gm), (obtained by the process described in example-16 of US 5,399,578) is dissolved in ethanol (60 ml). The solution is subjected to vacuum drying at about 45°C for 12 hours to give 9.7 gm of amorphous valsartan.

WO 2004/087681 PCT/IN2003/000096

Example 4

Example 3 is repeated by subjecting the solution to spray drying instead of vacuum drying to give amorphous valsartan.

5 Example 5

Valsartan (10 gm) is dissolved in isopropyl alcohol (70 ml). The solution is subjected to vacuum drying at about 45°C for 15 hours to give 9.9 gm of amorphous valsartan.


WO 2004/087681 PCT/IN2003/000096

We claim:

15

1. Amorphous valsartan characterized by an x-ray powder diffraction spectrum as in figure 1.

- 5 2. A process for preparation of amorphous valsartan of claim 1, which comprises:
 - a) dissolving valsartan in an alcohol or a mixture of alcohols;
 - b) removing the solvents from the solution formed in step (a) either by vacuum drying or by spray drying;
- wherein the alcohol is selected from the group consisting of methanol, ethanol isopropyl alcohol, tert-butyl alcohol and n-butyl alcohol.
 - 3. A process according to claim 3, wherein the solvent is removed by vacuum drying.
 - 4. A process according to claim 3, wherein the solvent is removed by spray drying.
 - 5. A pharmaceutical composition comprising amorphous valsartan and a pharmaceutically acceptable carrier.



INTERNATIONAL SEARCH REPORT

International application No. PCT/IN 03/00096-0

CLASSIFICATION OF SUBJECT MATTER

IPC7: C07D 257/04, A61K 31/41

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC⁷: C07D, A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

REGISTRY, CAPLUS *

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Х	US 5399578 A (Buehlmayer, Peter; Ostermayer, Franz; Schmidlin, Tibur, Ciba-Geigy AG.) 21 March 1995 (21.03.95); cited in the application examples 16, 37; claims 1-5; abstract.	1-5
Α	WO 2002/006253 A1 (Novartis AG.) 24 January 2002 (24.01.02) abstract.	1-5
A	CN 1317485 A (Pharmaceutical Co., Ltd., Changzhou Pharmaceutical Factory No.4, Peop. Rep. China) 17 October 2001 (17.10.01) abstract.	1-5

Further documents are listed in the continuation of Box C.	See patent family annex.			
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family			
Date of the actual completion of the international search	Date of mailing of the international search report			
12 August 2003 (12.08.2003)	11 September 2003 (11.09.2003)			
Name and mailing adress of the ISA/AT Austrian Patent Office Dresdner Straße 87, A-1200 Vienna	Authorized officer MÜLLER-HIEL R.			
Facsimile No. 1/53424/535	Telephone No. 1/53424/434			

INTERNATIONAL SEARCH REPORT

International application No.

	PCT/IN 03/00096-	0
C (Continu	·	
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
A	Jia, Qingzhong; Ma, Guilin; Li, Wenzhi; Jiang, Shaohao "Synthesis of antihypertensive drug valsartan"Zhongguo Yiyao Gongye Zazhi (2001), 32(9), 385-387 CODEN: ZYGZEA; ISSN: 1001-8255 (abstract). Chemical Abstracts [online] Copyright 2003 American Chemical Society [retrieved on 12 August 2003 (12.08.03)]. Retrieved from STN International, Karlsruhe. Chem. Abstr. No. 2001:807594 CAPLUS; abstract.	1-5
		1

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No. PCT/IN 03/00096-0

١	Patent document cited in search report		Publication date	Patent family member(s)			Publication date
CN	N A 1317	1317485	485			none	
US	A	5399578	21-03-1995	AT	E	134624	15-03-19
				ΑU	Al	71151/91	22-08-199
				AU	B2	644844	23-12-199
				CA	AA	2036427	20-08-199
				CA	С	2232775	10-06-200
				CY	A	1978	05-09-199
				DE	C0	59107440	04-04-199
				DK	Т3	443983	18-03-199
				EP	Al	443983	28-08-199
				EP	B1	443983	28-02-199
				ES	т3	2084801	16-05-199
				FI	ΑO	910747	15-02-199
				FI	Α	910747	20-08-199
				FI	A	980787	06-04-199
				FI	A0	980787	06-04-199
				FI	В1	107921	31-10-200
				GR	ТЗ	3019155	31-05-199
				HK	A	2199/96	03-01-199
				HU	A0	910537	30-09-199
				UH	A2	61271	28-12-19
				HU	AO	9802895	01-02-19
				HU	В	219343	28-03-200
				HO	В	220073	28-10-20
				IE	A1	910548	28-08-19
				IE	В	71155	29-01-199
	•			IL	A0	97219	25-05-199
				Ir	Al	97219	08-12-199
				JP	A2	4235149	24-08-199
				JP	B2	2749458	13-05-199
				KR	B1	171409	01-02-199
				ΓÜ	A9	90100	25-09-199
				ΓΩ	A9	90362	10-05-199
				ΓΛ	A4	5773	20-12-199
				ΓΛ	B4	5773	20-04-199
				NO	0A	910630	18-02-199
				ИО	A	910630	20-08-199
				NO	B1	304023	12-10-199
				NZ	A	237126	25-11-199
				PH	A	30484	28-05-199
				PT	A	96799	31-10-199
				PT	В	96799	30-09-199
				US	A	5965592	12-10-199
				ZA	A	9101179	27-11-199